

# 7 - 22 - 13

# SPECIFICATION 8'6"W x 14'L Transportable Comfort Station Wide Body Advantage Series

## **CHASSIS & FRAME:**

Heavy duty 12"x 4" 16lb. structural steel wide flange main beams 2"x 2"x 16 ga. primed steel tubing floor joists 16" o.c.

Heavy duty extruded aluminum top rail
One (1) 10,000 lb. tongue mounted frame jack
Four (4) 7,000 lb. leveling jacks, one at each corner
Two (2), axles with electric brakes and emergency breakaway kit 2 5/16" ball hitch, bumper pull
Rear platform including utility room with 300 gallon freshwater tank

### **EXTERIOR WALLS, ROOFING & INSULATION**

2x4 wood wall studs 16" o.c.

2x6 wood roof rafters 16"o.c.

R-11 insulation in walls, ceiling and floor

Seamless FRP Exterior with wall skirting, 12" extension from standard wall to conceal chassis

.040 thick seamless one piece aluminum roof, maintenance free, fastened to the top rail with all fastener penetrations located outside the unit to eliminate water leaks

# INTERIOR WALL, CEILING & FLOORING

Interior walls and toilet stalls finish to be laminate finish – Top (above chair rail)- Café Cream D456-60
Bottom (below chair rail)- Coffee Bean D495-K-18

Interior stain grade wood trim- Slate, dark brown stain (crown, chair rail, base, and door trim)

Ceiling to be white Fiberglass Reinforced Plastic (FRP)

3/4"Advantek sub-flooring

Floor finish to be commercial sheet vinyl, color to be Bison 5652 with wood base trim Advantage Plus Package consisting of indirect lighting with stained wood valance, full laminate walls, and large decorative mirrors

# **ELECTRICAL**

Can lights in ceiling throughout with indirect lights with valance at vanities, operated by a breaker

One roof mounted A/C unit, **ducted in roof**, with 13,500 BTU's cooling and 5.600 BTU's heating

20 amp, NEMA 3R (weathertite) panel box(es), located in pump compartment 120v/60hz/1ø.

Wall mounted thermostat in locking box

DOT approved running lights

Wall mounted exterior lights at Entry/Exit doors- docking light

One stereo system with CD player, am/fm radio, auxiliary port, and two ceiling mounted speakers on each side, stereo located inside vanity (antenna mounted on exterior near roof line on street side wall, near rear)

## **PLUMBING & INTERIOR FACILITIES**

A 3/4" fresh water connection with pressure regulator is included

A waste water connection with 3" slide valve with 2" camlock fitting and cap is included Steel waste tank, coated with a coal tar epoxy, mounted under trailer with cleanout and sight glass

Fully enclosed stalls (3 on Women's side and 1 on Men's side), each with full length stained solid core wood door with oil rubbed bronze finish door handle, slate dark brown stained wood trim, Black Dometic/ Sealand foot flush toilet, and decretive oil rubbed bronze robe hook.

Install customer supplied paper towel dispensers and toilet paper dispensers.

Granite countertops with back splash and trash receptacle hole, color to be Santa Cecilia, with black color 16" square vessel sinks, oil rubbed bronze finish sensor eye faucets, slate dark brown stained vanity cabinets, and decorative mirrors.

Two (2) Wall hung urinals, black, with oil rubbed bronze finish sensor eye urinal valves 14"x 14" domed skylight roof vents with aerodynamic covers

300 gallon vertical fresh water tank with pressure pump mounted in utility room on rear platform

Increase drain size to 2" drain down on freshwater tank (no plastic valve) with 2" male cam lock fitting and cap

#### **DOORS & STEPS**

Heavy duty custom built ACSI SIP doors with weather protective neoprene bulb seal, drip shield, continuous hinge with vinyl dust cover, hydraulic closer, pull handle and dead bolt locks keyed alike

Heavy duty fold-out steps with large platforms and fold out aluminum handrails

#### NOTE:

- 1. In a continuing effort to improve products, pricing and contents are subject to change without notice.
- 2. Not included are trash receptacles, soap dispensers and paper towel dispensers.
- 3. Engineered drawings and code compliance are not included in this quotation.

